



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Date : Oct. 19, 2005

Patent No. : 6,898,251
Inventor(s) : Le Bars et al
Issued : May 24, 2005
For : METHOD AND DEVICE FOR EVALUATING THE NOISE ASSOCIATED WITH
TURBOCODES, AND SYSTEMS USING THEM

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Respecting the alleged error(s) in column 10 - line 17, after inspection of the application, it is revealed that the line was printed in accordance with the record. Therefore, being no fault of the Patent and Trademark Office, no correction(s) is/are in order here under United States Codes (U.S.C.) 254 or 255 and the Code of Federal Regulation (C.F.R.) 1.322 or 1.323).

In view of the foregoing, your request in this matter is hereby denied.

A certificate will issue for the remaining error(s) in your request.

For further consideration, please submit a Reconsideration Certificate of Correction, along with its appropriate fee of 100.00. Otherwise, please provide supporting documentation and see the note below.

Note: This is a general hint, which may decrease the processing time of your request. If you obtain data that clearly shows the attorney/applicant is not in error, simply include proving/supporting documentation and associated post card receipts, along with your certificate of correction or reconsideration via postal mail, not by fax. If you do not have supporting documentation that clearly shows the attorney/applicant is not in error and verifies that the PTO is in error regarding the matter in your request - then, the appropriate fee of \$100.00 with your "Certificate of Correction" or "Reconsideration Certificate of Correction" - will be necessary. Without supporting documentation, depending upon the matter in your request, it is possible - that in addition, a petition with its appropriate fee of \$130.00 may be necessary, or the request may be denied. Please be advised that - "identification of the exact point of error by reference to column and line number of the printed patent" provides clarity for processing a request. Please see the MPEP for further instruction and understanding.

Stacy Powell, Sr.
For Cecelia B. Newman, Supervisor
Decisions & Certificates of
Correction Branch
(703) 605-5428 or (703) 305-8309

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801

CBN/spsr